



## HEBEI SINOSTAR TRADING CO.,LTD.

TEL: +86-311-8603 9188 / 311-6726 3625 / 311-8699 9716

FAX: +86-311-8607 3288

EMAIL: SALES@HBSINOSTAR.COM


ADDRESS: NO. 39 XIANGYI ROAD, XINHUA DISTRICT, SHIJIAZHUANG, HEBEI, CHINA

# GARDEN & LAWN

GLOBAL SUSTAINABLE SUPPLY CHAIN  
INTEGRATION PLATFORM  
FOR BUILDING MATERIALS & HARDWARE



WEBSITE



WECHAT

HEBEI SINOSTAR TRADING CO.,LTD.  
Quality, Service, Honesty, Specialty, and Innovation

# PRODUCT CATALOG

01-02 **About Sinostar**

03-22 **Garden Series**

- 03 Garden Stakes
- 04 Garden Tying Wire
- 05 Climbing Plant Support
- 06 Plant Support
- 07 Tomato Support
- 08 Tomato Trellis
- 09 Flower Basket  
Flower Holder
- 10 Flower Support
- 11 Garden Arch
- 12 Garden Border
- 14 Garden Fence  
Decoratie Fence
- 15 Garden Gate
- 17 Decorate Gate
- 18 Privacy Gate
- 19 Dog Cage
- 20 Composter  
Tree Wire Basket
- 21 Welded Gabions

23-40 **Lawn Series**

- 23 Welded Wire Mesh  
Hexagonal Wire Mesh
- 24 Chain Link Fence
- 25 Lawn Edge
- 26 Euro Fence
- 27 Steel Railing Fence
- 28 Pond Fence
- 29 Curved Welded Mesh Fence
- 30 Chain Link Fence Kits
- 31 Twin Wire Mesh Fence
- 32 Palisade Fence
- 33 Post
- 34 Pole Anchor
- 35 Gabions
- 36 Temporay Fence  
Pedestrian Barrier Fence
- 37 Security Spikes
- 39 Anti-climb Fence
- 40 Airport Fence



# ABOUT SINOSTAR

Global Sustainable Supply Chain Integration Platform For  
Building Materials & Hardware

Hebei Sinostar Trading Co., Ltd. is a foreign trade company specialized in the import and export of building materials which was founded in 2005. We deal mainly in the import and export of Roofing Sheet; Metal Pipe; Wire and Mesh; Fence and Gate; Fittings and Valves; Fastener and Screw; Iron Art; Scaffolding; Stainless Steel and Aluminium, and other steel products. Our main markets involve EU, Middle and South America, Southeast Asia, the Middle East and Africa areas.

Our group has long experience over 20 years in building materials field. It consists of three trading companies, one pipe mill, one pipe fittings mill and one freight forwarder. During the past years, we have selected more than 500 inspected mills of A level with different advantages on different items/products and cooperate with them tightly.

"Quality,Service, Honesty,Specialty,and Innovation"are our core values, which have formed the soul and DNA of HEBEI SINOSTAR. Every member of the company believes that the unified values generate efficiency for employees, and create competitiveness for customers.

## QUALITY

Our QC inspectors monitor the whole process of production of each order to make sure the quality fully meets the market and customers' needs.

## SERVICE

We always adhere to the philosophy of "customer-centered, market-oriented", and continuously provide high quality services to our customers.

## HONESTY

Honesty is essential in any lasting business and partnership. We consider from the perspective of our customers, we act in an open and transparent way to realize customers value.

## SPECIALITY

Professional skills are the foundation of high quality services. Our professional and dedicated team members make customers' business easier and safer.

## INNOVATION

Innovation is the key factor of the continuous company success. Driven by the customer needs, we are always focused on the innovation and development to improve our customer satisfaction.

Hebei Sinostar is proud of its young professional and well trained team, that is full of ambition and creativity. Together with the help of all members of our group, we believe that Hebei Sinostar will become the flagship of Hebei foreign trade industry.

01

# GARDEN

Trellis | Decoratie | Protection Garden Collector





Item	Diameter(mm)	Length(mm)
HBGS-8-60	Φ8	600
HBGS-8-75	Φ8	750
HBGS-8-90	Φ8	900
HBGS-8-120	Φ8	1200
HBGS-8-150	Φ8	1500
HBGS-8-180	Φ8	1800
HBGS-11-75	Φ11	750
HBGS-11-90	Φ11	900
HBGS-11-120	Φ11	1200
HBGS-11-150	Φ11	1500
HBGS-11-180	Φ11	1800
HBGS-16-90	Φ16	900
HBGS-16-120	Φ16	1200
HBGS-16-150	Φ16	1500
HBGS-16-180	Φ16	1800
HBGS-16-210	Φ16	2100
HBGS-16-240	Φ16	2400
HBGS-20-90	Φ20	900
HBGS-20-120	Φ20	1200
HBGS-20-150	Φ20	1500
HBGS-20-180	Φ20	1800
HBGS-20-210	Φ20	2100
HBGS-20-240	Φ20	2400
HBGS-20-270	Φ20	2700
HBGS-20-300	Φ20	3000



### Garden Stakes

**Material:** Plastic

**Diameter(mm):** Φ7/ Φ8/ Φ8.6/ Φ10.5/  
Φ11/ Φ13.6/ Φ16/ Φ20/ Φ25

**Length(mm):** 600 - 3000

**Type:** Undulating surface/  
Smooth surface/ Bamboo surface

**Cap Type:** Cap-inside/ Cap-outside

**Color:** Green or Customized



### Garden Tying Wire

**Material:** Plastic; Metal Wire

**Color:** Green; Light Green;  
Blue; Yellow; Orange Etc.

**Size:** 0.4/2.2mm x 20 - 100m

**Length:** 20 - 100m

**Application:** Garden Plant Soft Twist Tie



Item	Size(mm)	Length(m)
HSGW001	0.4/22x20	20
HSGW002	0.4/22x25	25
HSGW003	0.4/22x30	30
HSGW004	0.4/22x50	50
HSGW005	0.4/22x100	100

## Plant Support



**Material:** Steel Wire

**Size:** 2.25"xH18"; 2.25"xH24";  
3.00"xH36"

**Color:** Green

**Suitable for:** Tomato; Rose;  
Flowers Vine; Etc

**Application:** Climbing Plant Support



**Material:** Steel Wire

**Size:** 40x35cm; 40x70cm;  
40x100cm

**Color:** Green

**Suitable for:** Tomato; Rose;  
Flowers Vine; Etc

**Application:** Climbing Plant Support



## Climbing Plant Support

**Size:** 150x45cm; 150x60cm; 150x75cm; or Customized

**Color:** Green/White/ Brown; or Customized



## Tomato Support

**Material:** Steel Wire

**Size:** 6/8mm x 1.5-2.0m

**Surface Treatment:** Galvanized / Customized Powder  
Coating Is Also Available

**Application:** Tomato Supports Or Other Vine Plants



## Tomato Trellis

**Material:** Steel Wire; Plastic Coating

**Size:** 43Wx13H

**Application:** Tomato Supports Or  
Othervine Plants



### Flower Basket

**Material:** Metal  
**Basket Diameter:** 20cm  
**Height:** 10cm  
**Total Height for Hanging:** 50cm  
**Insert Thickness:** 3mm  
**Colour:** Black; Brown



### Flower Holder


**Material:** Iron  
**Color:** Black  
**Top Diameter:** 16cm  
**Bottom Diameter:** 12.5cm  
**Height:** 9.5cm




### Flower Support

**Material:** Steel; Plastic  
**Diameter(mm):**  $\Phi 7-\Phi 11$   
**Height(mm):** 450-1500  
**Ring:** 3 / 4  
**Color:** Green

## Garden Arch




HBSS22-001



HBSS22-002



HBSS22-003




HBSS22-004



HBSS22-005



HBSS22-006



## Garden Border

Material: Metal Vinyl Alloy Steel Iron

Color: Green

Style: Garden

Length: 45.7cm

Width: 43.2cm

Item No.	Description	Size	Qty
HBSS22-001	Garden Arch	140*37*240cm	1
HBSS22-002	Garden Arch	120*44*219cm	1
HBSS22-003	Garden Arch	113*38*229cm	1
HBSS22-004	Garden Arch	140*37*240cm	1
HBSS22-005	Garden Arch	120*38*240cm	1
HBSS22-006	Garden Arch	210*37*240cm	1


\*All parts is available produced as per client request.



### Garden Fence

**Type:** Galvanized Wire; PVC Coated Wire

**Color:** White; Green; Blue; Etc




### Decorative Fence

**Material:** Wrought Iron

**Surface Treatment:** Powder Coated

**Feature:** Easy to weld and equipped with designs; smooth surface

**Application:** Interior and Exterior decorated in Garden



## Garden Gate

**Metal Type:** Iron

**Surface Treatment:** Powder Coated; Galvanized

**Width x Height:** 1000x750mm - 1000x2000mm

**Mesh Infill:** 50x50/4.0mm; 200x50/5.0mm

**Leaf Frame:**  $\Phi$ 40/1.2mm

**Post:**  $\Phi$ 60/1.5mm

**Gate Type:** Single Gate; Double Gate; Or Customized

**Frame Type:** Round Tube; Square Tube; Or Customized

**Color:** RAL6005;RAL7016; Or Customized



### Decorate Gate

Material	Iron Wire
Surface Treatment	Power Coated
Color	Customized



### Privacy Gate

Material	Aluminum, Aluminum Alloy
Surface Treatment	Power Coated
Color	Customized
Size	Customized
Thickness	2mm
Processing Service	Bending, Welding, Cutting, Punching





### Composter

Wire Diameter	3.0mm, 4.0mm, 4.5mm
Mesh Size	50 x 50mm, 50 x 100mm, 75 x75mm, 100 x 100mm
Gabion Size	30x30x30cm, 50x50x50cm, 100x30x30cm, 100x50x50cm, 100x50x30cm, 100x80x30cm, 100x100x30cm, 200x100x30cm, etc
Component	Mesh panels, Spirals, Stiffeners
Finish	Hot Dipped Galvanized / Galfan
Shape	Square, Rectangle, Round, Heart, Irregular



### Dog Cage

Target Species: Dog


Size(Inch): 24"x17"x19"/36"x23"x26"/  
42"x28"x31"/48"x30"x33"

Material: Metal

Specific Uses For Product: Outdoor; Indoor



Item	Specification(mm)	Packing Size(mm)	Weight(kg)
800*600panel	800*600*16pcs	835*290*625	30
800*800panel	800*6pcs	855*125*835	13.3
800*800panel	800*8pcs	855*155*835	17.25
800*1000panel	800*1000*6pcs	845*126*1050	18.7
800*1000panel	800*1000*8pcs	830*155*1050	22.9
800*1200panel	800*1200*6pcs	845*126*1235	20.5
800*1200panel	800*1200*8pcs	845*126*1235	27.3



### Tree Wire Basket

Material	Metal, Low-Carbon Iron Wire
Size	35cm-100cm
Wire Diameter	1.3mm
Edge Wire Diameter	1.6mm
Basket Type	French type & Dutch Type or other type is available
Joints Type	Welded and Twisted
Application	Tree root transplanting





## Welded Gabions

Material: Metal

Size(Inch): 24"x17"x19"/ 36"x23"x26"/ 42"x28"x31"/ 48"x30"x33"



02

# LAWN

Agricultural &  
Pet Protection

Outdoor  
Security

Project  
Security






## Hexagonal Wire Mesh

**Type:** Hot Dipped Galvanized After Weaving; Hot Dipped Galvanized Before Weaving; Electro Galvanized After Weaving; Electro Galvanized Before Weaving; PVC Coat; Stainless Steel.

**Application:** Industry; Agriculture; Construction; Fence; Poultry; Etc.




Mesh		Wire Diameter		Width	
Inch	mm	Wire Gauge	mm	m	feet
3/8"	10	23#-27#	0.4-0.63	0.3-2.0	0.98-6.56
1/2"	13	20#-27#	0.4-0.88	0.3-2.0	0.98-6.56
5/8"	16	20#-27#	0.4-0.88	0.3-2.0	0.98-6.56
3/4"	19	20#-27#	0.4-0.88	0.3-2.0	0.98-6.56
1"	25	20#-27#	0.4-0.88	0.3-2.0	0.98-6.56
1-1/4"	30	18#-24#	0.56-1.25	0.3-2.0	0.98-6.56
1-1/2"	40	18#-23#	0.63-1.25	0.3-2.0	0.98-6.56
2"	50	17#-23#	0.63-1.47	0.3-2.0	0.98-6.56
3"	75	15#-23#	0.63-1.83	0.3-2.0	0.98-6.56
4"	100	12#-16#	1.65-2.77	0.3-2.0	0.98-6.56

\*All parts are available produced as per client request.

## Welded Wire Mesh

**Type:** Hot Dipped Galvanized After Weaving; Hot Dipped Galvanized Before Weaving; Electro Galvanized After Weaving; Electro Galvanized Before Weaving; PVC Coat; Stainless Steel.

**Application:** Industry; Agriculture; Construction; Poultry; Etc



Mesh		Wire Diameter		Width	
Inch	mm	Wire Gauge	mm	m	feet
1/4"x1/4"	6x6	21#-26#	0.45-0.81	0.3-1.2	0.98-3.93
3/8"x3/8"	10x10	19#-26#	0.45-1.07	0.3-1.2	0.98-3.93
1/2"x1/2"	13x13	16#-25#	0.51-1.65	0.3-2.0	0.98-6.56
5/8"x5/8"	16x16	16#-25#	0.51-1.65	0.3-1.2	0.98-3.93
3/4"x3/4"	19x19	16#-25#	0.51-1.65	0.3-2.0	0.98-6.56
1"x1"	25x25	11#-22#	0.71-2.11	0.3-2.0	0.98-6.56
2"x1"	50x25	8#-19#	0.89-2.77	0.3-2.0	0.98-6.56
2"x2"	50x50	8#-18#	1.25-2.77	0.3-2.0	0.98-6.56
3"x2"	75x50	6#-16#	1.65-2.77	0.3-2.0	0.98-6.56
3"x3"	75x75	6#-16#	1.65-2.77	0.3-2.0	0.98-6.56
4"x2"	100x50	4#-16#	1.65-2.77	0.3-2.0	0.98-6.56
4"x4"	100x100	4#-16#	1.65-2.77	0.3-2.0	0.98-6.56
5"x5"	125x125	4#-16#	1.65-2.77	0.3-2.0	0.98-6.56
6"x6"	150x150	4#-16#	1.65-2.77	0.3-2.0	0.98-6.56

\*All parts are available produced as per client request.

## Chain Link Fence

**Type:** Electro Galvanized; Hot Dipped Galvanized; PVC-Coated;

**Application:** It is normally used for protection; security and lasting fencing.



Mesh Size (Inch)	BWG	Width	Length
		M	M
1/2"	14# 16#	0.5-4.0m	5-150m
3/4"	12# 14# 16#		
1"	12# 14# 16#		
1-1/4"	10# 12# 14#		
1-1/2"	8# 10# 12# 14#		
2"	8# 10# 11# 12# 14#		
2-1/4"	8# 9# 10# 11# 12#		
2-1/2"	8# 9# 10# 11# 12#		
2-3/8"	8# 9# 10# 11# 12#		
3"	8# 9# 10# 11# 12#		

\*All parts are available produced as per client request.



## Lawn Edge

Surface Treatment: Galvanized; Power Coated

Length: 39-1/2feet

Height: 4 inches

Length(mm)	Height(mm)	Finish
1060	160	Galvanized
1060	240	
1060	400	Powder Coated
1060	181	Corten Steel
1060	201	



## Euro Fence

Mesh & Post Surface Treatment:

Pre-Galvanized+Polyester Powder Coated;

Hot Dipped Galvanized+Polyester Powder Coated

Height: 1200; 1500; 1800; 2000mm

Mesh Length: 25m/roll; 30m/roll

Mesh Size: 50 x 50; 50 x 100mm

Wire Diameter: 2.0; 2.5; 3.0mm

Post Height: 1500; 2000; 2300; 2500mm



Height	Mesh length	Mesh Size	Wire Diameter	Post Height
1200mm	25m per roll	50x50mm	2.0mm	1500mm
1500mm			2.5mm	2000mm
1800mm	30m per roll	50x100mm	3.0mm	2300mm
2000mm				2500mm

\*All parts are available produced as per client request.





## Steel Railing Fence

### Surface Treatment

Mesh: Pre-Galvanized; Hot Dipped Galvanized; Pre-Galvanized+Polyester Powder Coated; Hot Dipped Galvanized+Polyester Powder Coated



Height	Width	Rail Type	Post Length	Flange Option
900mm	1800mm	2 rails	1200mm	120 x 120 x 4.0mm 150 x 150 x 5.0mm 200 x 200 x 6.0mm
1200mm			1500mm	
1500mm	2000mm	3 rails	1900mm	
1800mm	2400mm		2300mm	
2100mm	2750mm		2700mm	
2400mm	3000mm	4 rails	3000mm	
2700mm			3500mm	

\*All parts are available produced as per client request.



## Pond Fence

Surface Treatment	Powder Coated
Material	Steel Wire
Size	775x640mm / 690x400mm
Wire diameter	2.5/4.0 mm
Color	Green
Usage	Garden Fence, Pond Fence



Mesh Size	Height	Width	Line Wire x Cross Wire	Post Length
50x100mm	1230mm	2500/2750/3000mm	4.0mm x 4.0mm	1600mm
	1530mm	2500/2750/3000mm	4.0mm x 4.5mm	2000mm
	1730mm	2500/2750/3000mm	4.0mm x 5.0mm	2200mm
50x150mm	2030mm	2500/2750/3000mm	4.5mm x 4.5mm	2500mm
50x200mm	2230mm	2500/2750/3000mm	4.5mm x 5.0mm	2800mm
	2430mm	2500mm	5.0mm x 5.0mm	3000mm

\*All parts are available produced as per client request.

Chain Link Fence Kits	
Mesh Surface Treatment	Electro; Hot Dipped Galvanized; Electro+Polyester Powder Coated; Hot Dipped Galvanized+Polyester Powder Coated
Post Surface Treatment	Hot Dipped Galvanized; PVC Coated
Fence Length	10m/ 15m/ 25m
Fence Height	0.8m - 6m



### Twin Wire Mesh Fence

**Surface Treatment Mesh & Post:** Hot Dipped Galvanized;PVC Coated  
**Mesh Size:** 50 × 200; 55 × 200mm  
**Line Wire × Inner Wire:** 6.0 × 5.0; 8.0 × 6.0mm  
**Height:** 1800; 2000; 2400; 2800mm  
**Post Length:** 2400; 2600; 2800; 3000; 3500mm  
**Frame Finishing:** Powder Coated  
**Usage:** Garden Fence;Highway Fence;Sport Fence



Mesh Size	Line Wire x Inner Wire	Height	Width	Post length
50x200mm	6.0mmx5.0mm	1800mm	2500mm	2400mm
		2000mm		2600mm
		2400mm	2750mm	2800mm
		2800mm		3000mm
55x200mm	8.0mmx6.0mm	2400mm	3000mm	3500mm

\*All parts are available produced as per client request.

### Palisade Fence

**Surface:** Pre-Galvanized+Polyester Powder Coated; Hot Dipped Galvanized+Polyester Powder Coated  
**Pale Type:** Triple Pointed Top; Single Pointed Top; Round Top; Round and Notch Top  
**Pale Size:** 68mm; 56mm  
**Pale Thickness:** 2.0~4.0mm  
**Height:** 1800~3000mm  
**Width:** 2750mm  
**Angle Rail:** L50 × 50 × 5.0/6.0mm  
**Post:** IPE100 × 55mm; IPE120 × 74mm; SHS80 × 80 × 3.0mm; SHS100 × 100 × 4.0mm  
**Post Length:** 2400~4000mm

Straight			
Bend			
D/W			
L			


Pale Type	Pale Size	Pale Thickness	Height	Width	Angle Rail	Post	Post Length
①Triple pointed top ②Single pointed top ③Round top ④Round and notch top	68	2.0mm	1800mm	2750mm	L50 x 50 x 5.0mm	IPE100x55	2400mm
		2.5mm					2700mm
	3.0mm	3000mm					
	3.5mm	4000mm					
	56	3.5mm	2100mm	L50 x 50 x 6.0mm	SHS80x80x3.0	SHS100x100x4.0	2700mm
		4.0mm					3000mm

\*All parts are available produced as per client request.

## Post

Surface Treatment

Post: Pre-Galvanized+Polyester Powder Coated;  
Hot Dipped Galvanized+Polyester Powder Coated




Style								
Size	≤50x50 ≤60x60 ≤80x80 ≤100x100	50x70 70x100	70x44 100x55	48mm 60mm	○48mm ○60mm	40x60 60x80 80x100 100x150	60x60 60x80 80x100 100x150	100x55 100x68 120x74
Thickness	1.5/2.0/2.5/ 3.0/4.0mm	1.0/1.1/1.2mm	1.5/2.0/2.5mm	1.2/1.5/2.0mm	1.5/2.0/2.5mm	1.5/2.0/2.5/ 3.0/4.0mm	1.5/1.8/2.0/ 2.5/3.0mm	4.0/5.0/ 6.0mm

## Pole Anchor

Material:Steel

Surface Treatment: Hot Dipped Galvanized



## Gabions

**Surface Treatment:** Hot Dipped Galvanized;PVC Coated



**Mesh Open(mm):** 60 × 80; 80 × 100; 80 × 120; 100 × 120;  
100 × 150; 120 × 150

**Galvanized Wire Dia(mm):** 2.0-2.7; 2.0-3.0; 2.0-3.2; 2.0-3.5

**PVC Coated Galvanized Wire Dia(mm):** 2.0/3.0mm-2.5/3.5;  
2.0/3.0mm-2.8/3.8; 2.0/3.0mm-3.0/4.0

**Max Roll Width:** 4m

**Application:** Used in river bank protection and channel linings  
for erosion control



MESH OPEN	GALVANIZED WIRE DIA	PVC COATED GALV.WIRE DIA	MAX ROLL WIDTH
60x80mm	2.0-2.7mm	2.0/3.0mm-2.5/3.5mm	4m
80x100mm	2.0-3.0mm	2.0/3.0mm-2.8/3.8mm	4m
80x120mm	2.0-3.0mm	2.0/3.0mm-2.8/3.8mm	4m
100x120mm	2.0-3.2mm	2.0/3.0mm-2.8/3.8mm	4m
100x150mm	2.0-3.2mm	2.0/3.0mm-2.8/3.8mm	4m
120x150mm	2.0-3.5mm	2.0/3.0mm-3.0/4.0mm	4m



## Temporay Fence

**Surface Treatment**

**Mesh:** Pre-Galvanized; Hot Dipped Galvanized; EDG/HDG+Polyester Powder Coated;

**Post:** Pre-Galvanized; Hot Dipped Galvanized; EDG/HDG+Polyester Powder Coated



Height	Width	Mesh Size	Wire Diameter	Frame Size:Round	
				O.D	Thiickness
1800mm	2400mm	50x50mm	3.0mm 3.5mm 3.7mm 4.0mm	⊙25mm	1.2-2.0mm
2000mm	3000mm	60x60mm		⊙32mm	
2100mm	3500mm	70x70mm		⊙38mm	
4ft	8ft	75x75mm		⊙42mm	
6ft	9.5ft	60x150mm			
8ft	10ft	75x250mm			

Height	Width	Mesh Size	Wire Diameter	Frame Size:Square	
				Frame Size	Thiickness
1800mm	2400mm	50x50mm 50x100mm 50x150mm	3.0mm 3.5mm 3.7mm 4.0mm	20x20mm	1.5-2.0mm
2000mm	3000mm			20x40mm	
2100mm	3500mm			25x25mm	
4ft	8ft			30x30mm	
6ft	9.5ft				
8ft	10ft				

## Pedestrian Barrier Fence

**Surface Treatment:** Polyester Powder Coated; Hot Dipped Galvanized;  
Pre-Galvanized

**Color:** Silver

**Application:** Secure Construction Sites; Private; Major Public; Events; Etc



Height	Width	Frame Pipe Size		Infilled Pipe Size		Infilled Pipe Space
		O.D	Thickness	O.D	Thickness	
1100	2000	25mm	1.5-2.0mm	14mm	0.9-1.5mm	125mm 132mm
	2100	32mm	1.5-2.0mm	16mm	0.9-1.5mm	
	2400	38mm	1.5-2.0mm	19mm	0.9-1.5mm	
	2500	42mm	1.5-2.0mm	25mm	0.9-1.5mm	

\*All parts are available produced as per client request.

## Security Spikes


Surface Treatment: Polyester Powder Coated




Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/



Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/




Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/



Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/





Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/



Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/

\*All parts are available produced as per client request.





### Anti-climb Fence

**Mesh Size:** 76.2 × 12.7mm; 75 × 12.5mm; 101.6 × 12.7mm  
**Height:** 1800mm~4000mm  
**Width:** 2200mm~3000mm  
**Wire Dia. Line:** 3.0/3.2/3.4/4.0mm × 4.0mm  
**Post Length:** 2400mm~5200mm  
**Mesh Surface Treatment:** Pre-Galvanized; Hot Dipped Galvanized

Mesh Size	Height	Width	Wire Dia. Line Wire x Cross Wire	Post Length
76.2x12.7mm 75x12.5mm 101.6x12.7mm	1800mm	2500/2750/3000mm	3.0 x 4.0mm	2400mm
	2000mm	2500/2750/3000mm		2600mm
	2200mm	2500/2750/3000mm	3.2 x 4.0mm	2800mm
	2400mm	2500/2750/3000mm	3.4 x 4.0mm	3000mm
	2700mm	2200/2300mm	4.0 x 4.0mm	3500mm
	3000mm	2200/2300mm	4.0 x 4.0mm	4000mm
	4000mm	2200/2300mm		5200mm

\*All parts are available produced as per client request.



### Airport Fence

**Surface Treatment:** Polyester Powder Coated; Plastic Coated; Hot Dipped Galvanized; Electro Galvanized

Panel					
Mesh Size	Mian Panel Height	V Panel Height	Width	Line Wire x Cross Wire	Total Fence Height
30x70mm	2030mm	530mm	2500mm	4.0mm x 4.0mm	2700mm
50x100mm	2230mm	630mm	2750mm	4.5mm x 4.5mm	2900mm
50x150mm	2430mm	730mm	3000mm	5.0mm x 5.0mm	3300mm
	2630mm				3700mm

Partes					
Post Size	Post Thickness	Post length	Razor O.D	Razor Wire	Blade Thickness/Core Wire
60x60mm	2.0mm	2700+530mm	500mm	BTO-22 	0.32mm/2.25mm 0.50mm/2.5mm
80x80mm	2.5mm	2900+530mm	600mm		
	3.0mm	3200+630mm 3500+730mm	700mm		

\*All parts are available produced as per client request.