



STEPSTAR SAFETY LADDER

GLOBAL SUSTAINABLE SUPPLY CHAIN
INTEGRATION PLATFORM
FOR BUILDING MATERIALS & HARDWARE



HEBEI SINOSTAR TRADING CO.,LTD.

TEL: +86-311-8603 9188 / 311-6726 3625 / 311-8699 9716


FAX: +86-311-8607 3288

EMAIL: SALES@HBSINOSTAR.COM

ADDRESS: NO. 39 XIANGYI ROAD, XINHUA DISTRICT, SHIJIAZHUANG, HEBEI, CHINA



WEBSITE



WECHAT

HEBEI SINOSTAR TRADING CO.,LTD.
QUALITY / SERVICE / HONESTY / SPECIALTY / INNOVATION



**PRODUCT
CATALOG**

- 01-03 **About Sinostar/Stepstar**
- 04-08 **Aluminum Combination Ladder**
- 09-12 **Aluminum Telescopic Ladder**
- 13-16 **Aluminum Extension Ladder**
- 17-22 **Aluminum Step Ladder**
- 23-24 **Aluminum Working Platform**
- 25-33 **Steel Step Stool/Ladder**
- 34-35 **Ladder Parts And Accessories**



ABOUT SINOSTAR

**GLOBAL SUSTAINABLE SUPPLY CHAIN INTEGRATION PLATFORM
FOR BUILDING MATERIALS & HARDWARE**

Hebei Sinostar Trading Co., Ltd. is a foreign trade company specialized in the import and export of building materials metal tools, hardware which was founded in 2005. We deal mainly in the import and export of Roofing Sheet; Metal Pipe; Wire and Mesh; Fence and Gate; Fittings and Valves; Fastener and Screw; Iron Art; Scaffolding; Aluminum, fiberglass and steel ladder, ect.,

STEPSTAR LADDER is a series of safety ladder brands owned by Hebei Sinostar Group. It is one of the "top 10 well-known ladder brands" in China, and its products are exported to more than 40 countries and regions in Asia, Europe, North and South America. We always adhere to the "safety above all" design and manufacturing concept, with scientific and technological innovation to create high quality products.

Our group has long experience over 20 years in building materials metal tools, hardware field. It consists of three trading companies, one pipe mill, one pipe fittings mill and one freight forwarder. During the past years, we have selected more than 500 inspected mills of A level with different advantages on different items/products and cooperate with them tightly.

"Quality, Service, Honesty, Specialty, and Innovation" are our core values, which have formed the soul and DNA of HEBEI SINOSTAR. Every member of the company believes that the unified values generate efficiency for employees, and create competitiveness for customers.

QUALITY

Our QC inspectors monitor the whole process of production of each order to make sure the quality fully meets the market and customers' needs.

SERVICE

We always adhere to the philosophy of "customer-centered, market-oriented", and continuously provide high quality services to our customers.

HONESTY

Honesty is essential in any lasting business and partnership. We consider from the perspective of our customers, we act in an open and transparent way to realize customers value.

SPECIALITY

Professional skills are the foundation of high quality services. Our professional and dedicated team members make customers' business easier and safer.

INNOVATION

Innovation is the key factor of the continuous company success. Driven by the customer needs, we are always focused on the innovation and development to improve our customer satisfaction.

Hebei Sinostar is proud of its young professional and well trained team, that is full of ambition and creativity. Together with the help of all members of our group, we believe that Hebei Sinostar will become the flagship of Hebei foreign trade industry.



STEPSTAR
— L A D D E R —

SAFETY ABOVE ALL

Aluminum Combination Ladder

EN131

Functions

Storage

M shape

Stool

9FT stand-off

Scaffold

Straight

- ❶ This fast action palm trigger hinges are simple to operate and in steel zinc plated, which makes it resist rust and corrosion.
- ❷ Slip - resistant rungs
- ❸ Interlocking side rails
- ❹ Large rubber grips for stationary position

SS2603

Model	Steps	Length(cm)	A Size(cm)	Platform Size(cm)	Folded Size(cm)
SS2602	4x2	250	125	70	68
SS2603	4x3	350	175	98	96
SS2604	4x4	450	225	126	126
SS2605	4x5	550	275	154	154
SS2606	4x6	650	325	182	182
SS2602A	4x2	234	117	68	68
SS2603A	4x3	346	171	92	96
SS2604A	4x4	458	225	124	124
SS2605A	4x5	570	279	156	152

Aluminum Combination Ladder

EN131

Functions

SS2603B

Storage

Scaffold

Straight

M shape

Model	Steps	Length(cm)	A Size(cm)	Platform Size(cm)	Folded Size(cm)
SS2602B	4x2	250	125	65	70
SS2603B	4x3	350	175	93	98
SS2604B	4x4	450	225	121	126


Aluminum Combination Ladder

EN131

SS2604G

Model	Steps	Length(cm)	A Size(cm)	Folded Size(cm)
SS2603G	4x3	310	171	94
SS2604G	4x4	420	225	122
SS2605G	4x5	530	279	150

Aluminum Combination Ladder



Model	Steps	Length(cm)	A Size(cm)	Folded Size(cm)
SS2656A	2x6	345	171	173
SS2657A	2x7	401	199	201
SS2658A	2x8	457	227	229
SS2659A	2x9	513	255	257

Fiberglass Combination Ladder



Functions

Storage M shape Stool

9FT stand-off Scaffold Straight

Accessory

SS-A01: Workshelf
N.W.:2.3KG
Powder coated
Non-slip surface

SS-A02: Scaffold platform
Material:steel
Powder coated
Non-slip surface

SS-A04: Ladder hinge
N.W.:0.855KG

SS-A05: Ladder hinge
N.W.:1.0KG

- 1 This fast action palm trigger hinges are simple to operate and in steel zinc plated ,which makes it resist rust and corrosion.
- 2 Slip - resistant rungs.
- 3 Steel interlocking side rails.
- 4 Large rubber grips for stationary position.

Model	Steps	Length(cm)	A Size(cm)	Platform Size(cm)	Folded Size(cm)
SS2602S	4x2	234	117	60	68
SS2603S	4x3	346	171	92	96
SS2604S	4x4	450	225	124	124

Smartclose Aluminum Telescoping Ladder




Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	N.W.(kgs)	Meas(cm)
SS1208E	9	46	74	260	6.8	76x47.5x8
SS1210E	11	47	80	320	8.8	82x48x8.5
SS1212E	13	47.5	86	380	11.0	88x48.5x9

Aluminum Telescoping Ladder




Model	Steps	Open Size(cm)	Close Size(cm)	Pcs/Ctn	Meas(cm)
SS2703C	13	380	111	1	113x48.5x9.5
SS2704C	11	320	101.5	1	103x48.5x8.5
SS2705C	9	260	92.5	1	93x48.5x8.5
SS2701C	7	200	82.5	1	83x48.5x8.5
SS2703B	13	380	98.5	1	99x48.5x8.5
SS2704B	11	320	86	1	86.5x48x8.5
SS2705B	9	260	73.5	1	74x47x8.5
SS2701B	7	200	61	1	61.5x47x8.5

Aluminum Telescopic Ladder



Model	Steps	Open Size(cm)	Close Size(cm)	Pcs/Ctn	Meas(cm)
SS2751	7+7	200+200	60	1	62x47x15
SS2752	7+9	200+260	65	1	66.5x47.5x15
SS2753	9+9	260+260	65	1	66.5x47.5x15
SS2754	10+10	290+290	68	1	68.5x48.5x15

Aluminum Telescopic Ladder



Model	Steps	Open Size(cm)	Close Size(cm)	Pcs/Ctn	Meas(cm)
SS2760	5+5	160+160	84	1	85.5x47.5x15
SS2761	6+6	190+190	86	1	87.5x47.5x15
SS2762	7+7	220+220	91	1	91.5x48x15
SS2763	8+8	250+250	93	1	94.5x48x15
SS2764	9+9	280+280	95	1	96.5x48.5x15


Aluminum Extension Ladder



SS2608/A

Model	Steps	Length(cm)	Close Size(cm)	Pcs/Ctn	Meas(cm)
SS2607/A	7	200	200	1	200x38x6.2
SS2608/A	8	228	228	1	228x38x6.2
SS2609/A	9	256	256	1	256x38x6.2
SS2610/A	10	284	284	1	284x38x6.2
SS2611/A	11	312	312	1	312x38x6.2
SS2612/A	12	340	340	1	340x38x6.2
SS2613/A	13	368	368	1	368x38x6.2
SS2614/A	14	396	396	1	396x38x6.2

Aluminum Extension Ladder



SS2708R

- 1 Rope pulley
- 2 Can move and adjust hook

Model	Steps	Length(cm)	A Size(cm)	Closed Size(cm)	Pcs/Ctn	Meas(cm)
SS2707R	2x7	334	190	200	1	200x41x11
SS2708R	2x8	388	216.5	228	1	228x41x11
SS2709R	2x9	442	243	256	1	256x41x11
SS2710R	2x10	496	267	284	1	284x41x11
SS2711R	2x11	550	296.5	312	1	312x41x11
SS2712R	2x12	604	323	340	1	340x41x11

Aluminum Extension Ladder



SS2707A

Model	Steps	Length(cm)	A Size(cm)	Closed Size(cm)	Pcs/Ctn	Meas(cm)
SS2707A	2x7	334	190	200	1	200x41x11
SS2708A	2x8	388	216.5	228	1	228x41x11
SS2709A	2x9	442	243	256	1	256x41x11
SS2710A	2x10	496	267	284	1	284x41x11
SS2711A	2x11	550	296.5	312	1	312x41x11
SS2712A	2x12	604	323	340	1	340x41x11

Aluminum Extension Ladder



SS2806A


Model	Steps	Length(cm)	A Size(cm)	Closed Size(cm)	Pcs/Ctn	Meas(cm)
SS2806A	3x6	396	165	172	1	172x46x16
SS2807A	3x7	480	192	200	1	200x46x16
SS2808A	3x8	564	219	228	1	228x46x16
SS2809A	3x9	648	246	256	1	256x46x16
SS2810A	3x10	732	273	284	1	284x46x16

Aluminum Step Ladder




Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS2102A	2x2	41	39.5	74	2	80x41x32
SS2103A	2x3	44.5	47	101	2	108x44.5x32
SS2104A	2x4	48	78	128	2	136x48x32
SS2105A	2x5	51.5	86	154	2	164x51.5x32
SS2106A	2x6	55	107	181	2	192x55x32
SS2107A	2x7	58.5	86	208	2	220x58.5x32
SS2108A	2x8	62	107	234	2	248x62x32

Aluminum Step Ladder




Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS2201	2x1	33	29.5	30	6	53x48x33
SS2202	2x2	36.5	39.5	50	4	56x68x30
SS2203	2x3	40	47	75	4	82x72x30
SS2204	2x4	43.5	78	100	4	107x76x30
SS2205	2x5	47.5	86	125	4	133x80x30
SS2206	2x6	51	107	150	4	159x84x30
SS2202B	2x2	37.5	49	37.5	2	44x31.5x24
SS2203B	2x3	40	61	59	2	66x33x24
SS2204B	2x4	42.5	73	80.5	2	88x34x24
SS2205B	2x5	45	85	102	2	110x35.5x24

Aluminum Step Ladder




Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS2302A	2	37.5	47.5	90	2	107x31.5x23
SS2303A	3	40	61	111	2	128x33x23
SS2304A	4	42.5	73	132	2	149x34x23
SS2305A	5	45	85	153	2	170x35.5x23
SS2306A	6	47.5	97	174	2	191x36.5x23
SS2303	3	40.5	61	111	2	118x33x24
SS2304	4	42.5	73	132	2	139x34x24
SS2305	5	45	85	153	2	160x35.5x24
SS2306	6	47.5	97	174	2	181x36.5x24
SS2307	7	50	109	195	2	202x38x24

Aluminum Step Ladder



Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS2202A	2	36.5	39.5	85	4	96x67x30
SS2203A	3	40	47	110	4	121x72x30
SS2204A	4	43.5	78	135	4	147x76x30
SS2205A	5	47.5	86	160	4	172x80x30

Aluminum Step Ladder



Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS2403/S	3	40.5	61	111	2	118x33x24
SS2404/S	4	42.5	73	132	2	139x34x24
SS2405/S	5	45	85	153	2	160x35.5x24
SS2406/S	6	47.5	97	174	2	181x36.5x24
SS2407/S	7	50	109	195	2	202x38x24
SS2408/S	8	52.5	121	216	2	223x39.5x24

Aluminum Step Ladder



Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	N.W.(kgs)	Meas(cm)
SS002N	2	45	50	97	3.28	103x45x5.5
SS003N	3	45	68	153	4.3	132x45x5.5

Aluminum Working Platform

EN14183



STEPSTAR
LADDER



SS3101



SS3103



SS3102



SS3105

Model	W Size(cm)	D Size(cm)	Open Size(cm)	Plate Size(cm)	Pcs/Ctn	Meas(cm)
SS3101	50	128	50	90x30	1	100x40x20
SS3102	39	125	50	85x30	2	85.5x39.5x35
SS3103	69	94.5	48	60x60	1	61x70x21
SS3104	46	150	97.5	85x30	2	100x47x29
SS3105	36.5	107	50	70x30	2	73x37x30
SS3106	41.5	108	50	70x30	2	73x39.5x30

Aluminum Working Platform

EN131



STEPSTAR
LADDER



SS3206A



Model	W Size(cm)	D Size(cm)	H Size(cm)	Pcs/Ctn	Meas(cm)
SS3206A	71	165	174	1	172x42.5x16.5
SS3207A	71	165	202	1	200x42.5x16.5
SS3201	36.5	150	107	1	105.5x55x11.5



SS3201

Steel Step Stool/Ladder

EN14183    **STEPSTAR**
LADDER



SS1403



SS1402



Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1402	2	40	49	82	4	91.5x33x41
SS1403	3	40	65	115.5	4	117x33x41
SS1404	4	40	81	139	4	142x33x41

Steel Step Stool/Ladder

EN14183    **STEPSTAR**
LADDER



SS1112A



Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1111	1	44	32.5	26	4	32.5x44x31
SS1112	2	44	62.5	38	4	62.5x44x36
SS1112A	2	44	64	43.5	4	64x44x42




SS1111




SS1112

Steel Step Stool/Ladder

EN14183



SS1203



SS1202



Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1202	2	47	49	82	4	91.5x33x48
SS1203	3	47	65	115.5	4	117x33x48
SS1204	4	47	81	139	4	142x33x48
SS1205	5	47	97	162.5	4	167.5x33x48

Steel Step Stool/Ladder

EN14183



SS1204AL



SS1203AL




Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1202A/AL	2	47	48	122	4	129x36x48
SS1203A/AL	3	47	55	135	4	144x33x48
SS1204A/AL	4	50.5	72	161	3	170x25.5x51
SS1205A/AL	5	50.5	85	187	3	196x26x51

Steel Step Stool/Ladder



Steel Step Stool/Ladder



Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1101	1	47	40.5	49	4	57x33x48
SS1102	2	47	49	71.5	4	81x33x48
SS1103	3	47	66	95	4	114.5x33x48
SS1104	4	47	83	118.5	4	138x33x48
SS1105	5	47	100	142	4	161.5x33x48

Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1302	2	47	49	82	4	91.5x26x48
SS1303	3	47	65	115.5	4	117x26x48
SS1304	4	47	81	139	4	142x26x48
SS1305	5	47	97	162.5	4	167.5x26x48

Steel Step Stool/Ladder

EN14183

SS1703

SS1702T

Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1702	2	44.5	48	81	4	88x15x46
SS1703	3	44.5	59	102.5	4	114.5x15x46
SS1704	4	44.5	73.5	130.5	4	140x17x46
SS1705	5	44.5	88	155	4	164x18x46
SS1702T	2	44.5	47	44	6	56x21x46


Steel Step Stool/Ladder

EN14183

SS1805


Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1803	3	42	55	118	6	119x36x36
SS1804	4	46	70	133	6	142x36x38
SS1805	5	49	85	156	6	165x36x39.5
SS1806	6	52	100	179	6	188x36x41
SS1807	7	55	113	202	6	211x36x42.5

Steel Step Stool/Ladder




Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS1203P	3	47	68.5	125	4	134.5x34x48
SS1204P	4	47	68.5	125	4	162x54x8

Fiberglass Step Ladder



Model	Steps	W Size(cm)	D Size(cm)	Open Size(cm)	Pcs/Ctn	Meas(cm)
SS2203F	3	49	69	95	1	105x49x13
SS2204F	4	52	81	124	1	124x52x13
SS2205F	5	55	93	153	1	163x55x13
SS2206F	6	58	105	182	1	192x58x13
SS2207F	7	61	117	201	1	211x61x13
SS2208F	8	64	129	230	1	240x64x13

Ladder Parts And Accessories



Ladder Hinge




Leg Leveler



Paint Can Hooks



Scaffold Platform



Workshelf



Stabilizer and Surface Protectors